



We create custom solutions
for one-of-a-kind experiences
in outdoor lighting

E-Mail: info@zoomluxlight.com
Website: www.zoomluxlight.com



glow.
fresh.
outdoor.
landscape.
enter our world.

Tailor made outdoor decorative ip65 light fixtures - designed, engineered & manufactured by the glow lab

WHO WE ARE

We are a family of impassioned Engineers, Architects, Designers and Innovators striving daily to create custom solutions for a one-of-a-kind experience in outdoor landscape lighting.

Originally trained as a Civil Engineer, Heyam Mohideen is the founder, Managing Director, visionary and the main creative force behind the Athens Dubai based group first established in 2006. Identifying a lack in outdoor landscape & façade lighting we sought out to develop a more decorative-romantic light, steering away from standard architectural lights currently being used. We started our research & development and have created from scratch a product line which revolutionizes outdoor lighting.


THE ZOOMLUX by was formed to showcase our efforts in innovative outdoor decorative landscape lights. In contrast to indoor lights where there is an abundance of decorative lighting available, outdoor lights have always been rigid, heavy architectural lights in order to withstand the outdoor environmental elements. We offer outdoor decorative lights manufactured with the same robustness as architectural lights.

A considerable amount of time and resources has been dedicated to our project, to engineer and provide a fresh new product to the market.

WHAT WE DO

We Design, Engineer and Manufacture decorative lights purely for OUTDOOR use in Landscapes & Façades.

Our Core Values



We design, engineer, manufacture & deliver, while maintaining our Core Values every step of the way.

250,000 +
PRODUCTS INSTALLED

2,000,000 +
COMPONENTS
MANUFACTURED

5 years
WARRANTY

Our Lights are
» CE, ETL, IP65 rated, tested & certified by Bureau Veritas.

» Developed with Safety as the main driving factor.

» Manufactured from machined and hard anodized aluminum with stainless steel, brass & rubber accessories & components.



Specialists
in Outdoor
Decorative
Lighting

Table of contents

GLOW LAB LIGHTS BY APPLICATION

Select your Mounting application type and then choose a decorative fitting from our range and create your own distinct light fitting.



11
CHANDELIERS



19
BRACKETS
ON TREES



27
LIGHTS ON TREES
WITH HOOK



33
LIGHTS ON TREES
WITH ROPES



41
CATENARY
LIGHTS




55
POLE
LIGHTS




63
SPECIALTY
LIGHTS



71
SURFACE
MOUNTED
LIGHTS



89
SPECS
AT A GLANCE



106
EYE CANDY

ZOOMLUX

Tailor made - custom decorative lighting solutions.

» MIX & MATCH

In addition to our standard mix & match product range, we offer the option

of working with our clients or Architects & Lighting


Designers to develop PROJECT SPECIFIC tailor

made - custom - decorative lights which will be designed,

engineered & prototyped to the highest standard.



CHANDELIERS



Ampoula

CHANDELIERS

Our Chandeliers have a concealed Stainless Steel Rod embedded within the rope rigidly fixed to the luminaire fastened to the timber piece. This offers the decorative effect of free hanging luminaires while also preventing damage from the fixtures swinging in high wind settings.



Recommend

» Chandeliers with 10 Nos Fittings suspended

» Use 2 of our custom cables (5-1) to interconnect the light fixtures




Ptigo



Deka



Ampoula



Chandeliers can also be used for indoor use without the stainless steel Rod.



Timber length: 1.2m (4ft)

Hollow timber: Inner hollowed out part of timber acts as a “junction box” to conceal cable interconnections

Timber accessories: Stainless steel brackets with stainless steel chains & hooks

Custom 5-1 Cable: Use our Custom injection moulded 5-1 cable with our IP67 two way electrical connectors to interconnect Fittings inside the hollowed out portion of the timber.

Cable Connectors: Use our IP67 cable connectors – (2 way or 3 way).

We recommend 10 interconnected luminaires per chandelier


CHANDELIERS FOR PERGOLAS - TRELLIS




Metron

Illuminate your Façades

- » Available with 3 or 5 Fittings per pergola bracket Mount.
- » Custom aluminum and glass mason jar lid allowing for usage as a down-light.
- » Fittings suspended with stainless steel Rods preventing them from colliding at high winds.



5-Fitting Bracket for Pergolas



3-Fitting Bracket for Pergolas


Choose between our 3-Fitting or 5-Fitting Pergola Mounted Brackets



Metron

BRACKETS ON TREES





Quick Facts:

Use existing Trees to Light up Pathways.

Reduce costs by avoiding the use of Bollards & Poles and their concrete foundations by Utilizing Existing Trees to light pathways and landscapes.

Adjustable fixing diameter as trees grow.

5 Luminaires per Bracket – come ready interconnected. Supply Power directly from the Junction Box.

Hollow Inner part of bracket is accessible and functions as a junction box.

Custom accessory available to allow for Mounting of architectural or flood lights.

Made of aluminum and stainless-steel clamping accessories.



» Photo depicts Kaiki Fitting perpendicularly Mounted on the adjustable bracket

» Tree bracket can be used with a variety of our Fittings

» Mounting options – perpendicular, horizontal or suspended from ropes



Our specialty lights can be used in combination with our tree brackets, such as the Medus depicted here.





REVOLUTIONIZE LANDSCAPE LIGHTING

Typically trees are lit as an accent with inground lights lighting upwards.

Our Adjustable bracket Mounts on any tree with a diameter ranging between 140mm & 280mm

The need for bollards and pole lights can be eliminated by using existing trees to illuminate pathways, thereby bringing project costs down.

Quick Facts:

- » Aluminum & Stainless Steel
- » 5 luminaires interconnected per bracket
- » Available accessory to Mount architectural lights
- » Inner hollow part of bracket is accessible and functions as a junction box
- » The bracket Mounting diameter is adjustable as the tree grows



Alisi



LIGHTS ON TREES WITH HOOK



Accent lighting for trees

Install 4 sets of 5 Fittings on a large tree and enjoy the warm glow year round!

Accessories

- » Hanging Clamp – attaches to branches on one side and onto the light fitting on the other
- » 2 way IP67 connector
- » Installation in sets of 5 with our custom made 5-1 electrical cable



5-1 electrical cable



2-way IP 67 electrical cable connector



Kyvo



Vroxi

Our Vroxi light uses a G4 LED light source in combination with an acrylic diffuser to produce a gentle glow, adding a discreet ambiance to any setting.



Rod also available with decorative rope cover as pictured here on our Kyvo model.



Kyvo




Ari

The Ari model comes encased in a protective steel cage adding both durability and style.





LIGHTS ON TREES WITH ROPES




ILLUMINATE YOUR LANDSCAPE!

Revolutionize Landscape Lighting - typically trees are lit as an accent with inground lights lighting upwards.

Our Tree Lights with Rope Mounting allow for unlimited fresh lighting designs, from a variety of heights!




Deko



Alisi



CATENARY LIGHTS



LIGHT UP YOUR PATHWAYS & FAÇADES - GIVE DEPTH TO YOUR LANDSCAPE

CATENARY LIGHTS

Our catenary lights are rigidly fixed onto a Kevlar rope. The interconnecting power cable easily connects one fitting to another.

Our die-cast gasket clamp allows for up to 3 additional cables to be run through, enabling the usage of multiple circuits and cable management.

Select any fitting from our range or let us customize one that is tailored to your needs.



Kaiki

Components include

- » Kevlar rope available in a variety of sizes as per the structural requirements (6mm, 8mm, 10mm, 12mm)
- » Die-cast gasket clamp safely attaches the fitting to the Kevlar rope
- » Additional stainless steel safety chains available
- » 3 Way IP-67 electrical connector
- » And your choice of any of our catenary light Fittings





GIVE DEPTH TO YOUR LANDSCAPE





Ampoula



Components include

- » Kevlar rope available in a variety of sizes as per the structural requirements (6mm, 8mm, 10mm, 12mm)
- » Die-cast gasket clamp safely attaches the fitting to the Kevlar rope
- » Additional stainless steel safety chains available
- » 3 Way IP-67 electrical connector
- » And your choice of any of our catenary light Fittings
- » Refer to Specs at-a-glance for complete set of accessories





FESTOON LIGHTING:

OUR TAKE ON A MINI CATENARY SYSTEM

With an E-14 bulb holder and a glass diameter just under 90mm.

Light depicted is a prototype produced in small quantity- project specific.

Product will be rolled out in 2018 as one of our standard products.



Balao





POLE LIGHTS



Ptigo




A NEW TAKE ON POLE LIGHTS

Pros

- » Fittings come with adequate cable length to allow for direct connection through the pole and to the junction box
- » Can be used for both, decorative purposes and subtle pathway lighting






Akro
with SS Rod &
Decorative Rope Cover



Akro



Ampoula



Pros

- » Glass cover allows for near 360 degrees beam angle
- » Durable stainless steel Rod and Mounting clips provide safety in all weather conditions





SPECIALTY LIGHTS



Our specialty lights offer a distinct and imaginative design, in combination with unconventional Mounting options giving you a truly unique decorative lighting solution.



Flexi-Light

This versatile down-light utilizes a flexible stainless steel Rod with a weather proof PVC cover for truly unique applications

Accessories

- » Hanging Clamp where applicable – attaches to branches on one side and onto the light fitting on the other
- » 2 way IP67 connector
- » Installation in sets of 5 with our custom made 5-1 electrical cable



Flexi-Light



5-1 electrical cable



2-way IP 67 electrical cable connector





Long aluminum Mounting arms give the Tero its distinct style. These can be used to bend around tree branches or existing architectural features.



Tero






SURFACE MOUNTED LIGHTS

CEILING
PERGOLA
WALL MOUNTED LIGHTS

CHOOSE AND CUSTOMIZE
A LIGHT FITTING TO SUIT
MULTIPLE MOUNTING
OPTIONS:

Mounting options





Ptigo

Our Ptigo light, utilizing
a Ceiling Mount with Rod



Metron



Options

- » Your hanging length (max size available 750mm)
- » SS Rod bent at 90 deg. to allow for wall Mounting
- » SS Rod available with or without decorative rope covering
- » For pergola Mountings, our designers recommend using the decorative rope covered ss Rods with additional rope wrapped around the pergola, giving the effect of free hanging luminaires which are actually safely held in place by the concealed SS Rod



Trata
with SS Rod &
Decorative Rope Cover



Trata



The Astoria Light is our take on this classic vintage model, made extra durable with the added aluminum cage guard. Available as either a wall or Ceiling Mounted luminaire.





SS Rod bend 90deg. for wall
Mounting applications

200mm ss Rod available with
or without decorative rope
cover



Atina





Balao



Flush pergola
Mount



Ceiling Mount
with Rod



Flush Ceiling Mount

Balao
with SS Rod &
Decorative Rope Cover





Trava



SS Rod used to give the effect of a weight and pulley system while keeping the luminaire safely fixed in place






Akro



Atina fitting
depicted in the left
photo with flush
ceiling mount



Akro
with SS Rod &
Decorative Rope Cover



SPECS AT A GLANCE

CHANDELIERS

Model	Metron
Material	Machined and hard anodized aluminum with stainless steel & rubber components
Dimensions	W120mm x H200mm
Color	01 Antique Rustic
Coatings	Hard Anodized with 4 Additional coatings including UV Stabilizing Topcoat
Bulb holder	E27
Warranty	5 years
Max Watt	60 W

Included

- 1. Electrical Cable Heat Resistant - (3 core 1.0sq.mm)
- 2. 2-way Electrical connector

Customized items

Let us know what you require

- 3-Fitting Mount v.s. 5 Fitting Mount
- Rod lengths
- Hemp rope covered Rod v.s. bare Rod
- Color



Model	Ptigo
Material	Machined and hard anodized aluminum with stainless steel & rubber components
Dimensions	W120mm x H200mm
Color	01 Antique Rustic
Coatings	Hard Anodized with 4 Additional coatings including UV Stabilizing Topcoat
Bulb holder	E27
Warranty	5 years
Max Watt	60 W

Included

- 1. Electrical Cable Heat Resistant - (3 core 1.0sq.mm)
- 2. 3-way Electrical "T" connector
- 3. Extra Hemp Rope

Customized items

Let us know what you require

- Recommended Configuration
 - Timber Length:1200mm
 - 10 Fittings /Timber
- Let us provide our hollowed out timber with SS accessories & chains
- Rod lengths
- Color



Model	Deka
Material	Machined and hard anodized aluminum with stainless steel & rubber components
Dimensions	W117mm x H167mm
Color	01 Antique Rustic
Coatings	Hard Anodized with 4 Additional coatings including UV Stabilizing Topcoat
Bulb holder	E14
Warranty	5 years
Max Watt	60 W

Included

- 1. Electrical Cable Heat Resistant - (3 core 1.0sq.mm)
- 2. 3-way Electrical "T" connector
- 3. Extra Hemp Rope

Customized items

Let us know what you require

- Recommended Configuration
 - Timber Length:1200mm
 - 10 Fittings /Timber
- Let us provide our hollowed out timber with SS accessories & chains
- Rod lengths
- Color



Model	Ampoula
Material	Machined and hard anodized aluminum with stainless steel & rubber components
Dimensions	W120mm x H180mm
Color	01 Antique Rustic
Coatings	Hard Anodized with 4 Additional coatings including UV Stabilizing Topcoat
Bulb holder	E27
Warranty	5 years
Max Watt	60 W

Included

- 1. Electrical Cable Heat Resistant - (3 core 1.0sq.mm)
- 2. 3-way Electrical "T" connector
- 3. Extra Hemp Rope

Customized items

Let us know what you require

- Recommended Configuration
 - Timber Length:1200mm
 - 10 Fittings /Timber
- Let us provide our hollowed out timber with SS accessories & chains
- Rod lengths
- Color



BRACKETS ON TREES

Model	LL-17 Tree Bracket
Depicted Fitting	Kaiki
Material	Machined and hard anodized aluminum with stainless steel & rubber components
Dimensions	Bracket outer Diameter 900mm Mounts on Trees with Diameters between 140mm - 280mm Mounting Diameter adjusts as tree grows
Color	01 Antique Rustic
Coatings	Hard Anodized with 4 Additional coatings including UV Stabilizing Topcoat
Bulb holder	E27
Warranty	5 years
Max Watt	60 W

- Included**
- 1. Electrical Cable Heat Resistant - (3 core 1.0sq.mm)
6m Length to connect directly to the junction box
 - 2. Extra Hemp Rope if required
 - 3. Tree Bracket comes with concealed interconnecting cables ready for the light fitting installation
 - 4. Decorative Bracket Joint concealer

- Customized items**
- Choose a light fitting
 - Choose between suspended, vertically Mounted, horizontally Mounted



Model	LL-17 Tree Bracket
Depicted Fitting	Alisi
Material	Machined and hard anodized aluminum with stainless steel & rubber components
Dimensions	Bracket outer Diameter 900mm Mounts on Trees with Diameters between 140mm - 280mm Mounting Diameter adjusts as tree grows 5 Light Fittings per Bracket
Color	01 Antique Rustic
Coatings	Hard Anodized with 4 Additional coatings including UV Stabilizing Topcoat
Bulb holder	E27
Warranty	5 years
Max Watt	60 W

- Included**
- 1. Electrical Cable Heat Resistant - (3 core 1.0sq.mm). 6m Length to connect directly to the junction box
 - 2. Extra Hemp Rope if required
 - 3. Tree Bracket comes with concealed interconnecting cables ready for the light fitting installation
 - 4. Decorative Bracket Joint concealer

- Customized items**
- Choose a light fitting
 - Choose between suspended, vertically Mounted, horizontally Mounted
 - Additional Clamping Accessory can be requested to Mount architectural lights further to the 5 decorative Fittings



LIGHTS ON TREES WITH HOOK

Model	Kyvo
Material	Machined and hard anodized aluminum with stainless steel, rubber & hemp rope components
Dimensions	W100mm x H100mm
Color	01 Antique Rustic
Coatings	Hard Anodized with 4 Additional coatings including UV Stabilizing Topcoat
Bulb holder	G9
Warranty	5 years
Max Watt	60 W

- Included**
- 1. Electrical Cable Heat Resistant - 3 meters Length (3-core 1.0sq.mm)
 - 2. 3 meter Length Hemp Rope Covering Electrical Cable
 - 3. Ten & Ten 5-1 Custom Electrical Cable to which avoids need for junction box
 - 4. 2-way Electrical connector

- Customized items**
- Let us know what you require*
- Recommended installation in sets of 5 light Fittings per tree
 - Pole Mount diameter
 - Hemp rope covered Rod or Bare Rod
 - Color



Model	Ari
Material	Machined and hard anodized aluminum with stainless steel, rubber & hemp rope components
Dimensions	W160mm x H160mm
Color	01 Antique Rustic
Coatings	Hard Anodized with 4 Additional coatings including UV Stabilizing Topcoat
Bulb holder	E27
Warranty	5 years
Max Watt	60 W

- Included**
- 1. Electrical Cable Heat Resistant - 3 meters Length (3-core 1.0sq.mm)
 - 2. 3 meter Length Hemp Rope Covering Electrical Cable
 - 3. Ten & Ten 5-1 Custom Electrical Cable to which avoids need for junction box
 - 4. 2-way Electrical connector

- Customized items**
- Let us know what you require*
- Recommended installation in sets of 5 light Fittings per tree
 - Pole Mount diameter
 - Hemp Rope covered Rod or Bare Rod
 - Color



Model	Vroxi
Material	Machined and hard anodized aluminum with stainless steel, rubber & hemp rope components
Dimensions	W80mm x H210mm
Color	01 Antique Rustic
Coatings	Hard Anodized with 4 Additional coatings including UV Stabilizing Topcoat
Bulb holder	G9
Warranty	5 years
Max Watt	60 W

- Included**
- 1. Electrical Cable Heat Resistant - 3 meters Length (3-core 1.0sq.mm)
 - 2. 3 meter Length Hemp Rope Covering Electrical Cable
 - 3. Ten & Ten 5-1 Custom Electrical Cable to which avoids need for junction box
 - 4. 2-way Electrical connector

- Customized items**
- Let us know what you require*
- Recommended installation in sets of 5 light Fittings per tree
 - Pole Mount diameter
 - Hemp rope covered Rod or Bare Rod
 - Color



LIGHTS ON TREES WITH ROPES

Model	Alisi
Material	Machined and hard anodized aluminum with stainless steel, rubber & hemp rope components
Dimensions	W125mm x H290mm
Color	01 Antique Rustic
Coatings	Hard Anodized with 4 Additional coatings including UV Stabilizing Topcoat
Bulb holder	E27
Warranty	5 years
Max Watt	60 W

- Included**
- 1. Electrical Cable Heat Resistant - 3 meters Length (3-core 1.0sq.mm)
 - 2. 3 meter Length Hemp Rope Covering Electrical Cable
 - 3. Ten & Ten 5-1 Custom Electrical Cable which avoids need for junction box
 - 4. 2-way Electrical connector


- Customized items**
- Let us know what you require
- Recommended installation in sets of 5 light Fittings per tree
 - Pole Mount diameter
 - Hemp rope covered Rod or Bare Rod
 - Color



Model	Deka
Material	Machined and hard anodized aluminum with stainless steel, rubber & hemp rope components
Dimensions	W117mm x H167mm
Color	01 Antique Rustic
Coatings	Hard Anodized with 4 Additional coatings including UV Stabilizing Topcoat
Bulb holder	E14
Warranty	5 years
Max Watt	60 W

- Included**
- 1. Electrical Cable Heat Resistant - 3 meters Length (3-core 1.0sq.mm)
 - 2. 3 meter Length Hemp Rope Covering Electrical Cable
 - 3. Ten & Ten 5-1 Custom Electrical Cable which avoids need for junction box
 - 4. 2-way Electrical connector


- Customized items**
- Let us know what you require
- Recommended installation in sets of 5 light Fittings per tree
 - Pole Mount diameter
 - Hemp rope covered Rod or Bare Rod
 - Color



Model	Ptigo
Material	Machined and hard anodized aluminum with stainless steel, rubber & hemp rope components
Dimensions	W120mm x H200mm
Color	01 Antique Rustic
Coatings	Hard Anodized with 4 Additional coatings including UV Stabilizing Topcoat
Bulb holder	E27
Warranty	5 years
Max Watt	60 W

- Included**
- 1. Electrical Cable Heat Resistant - 3 meters Length (3-core 1.0sq.mm)
 - 2. 3 meter Length Hemp Rope Covering Electrical Cable
 - 3. Ten & Ten 5-1 Custom Electrical Cable which avoids need for junction box
 - 4. 2-way Electrical connector

- Customized items**
- Let us know what you require
- Recommended installation in sets of 5 light Fittings per tree
 - Pole Mount diameter
 - Hemp rope covered Rod or Bare Rod
 - Color



Model	Ampoula
Material	Machined and hard anodized aluminum with stainless steel, rubber & hemp rope components
Dimensions	W120mm x H180mm
Color	01 Antique Rustic
Coatings	Hard Anodized with 4 Additional coatings including UV Stabilizing Topcoat
Bulb holder	E27
Warranty	5 years
Max Watt	60 W

- Included**
- 1. Electrical Cable Heat Resistant - 3 meters Length (3-core 1.0sq.mm)
 - 2. 3 meter Length Hemp Rope Covering Electrical Cable
 - 3. Ten & Ten 5-1 Custom Electrical Cable to which avoids need for junction box
 - 4. 2-way Electrical connector

- Customized items**
- Let us know what you require
- Recommended installation in sets of 5 light Fittings per tree
 - Pole Mount diameter
 - Hemp rope covered Rod or Bare Rod
 - Color



CATENARY LIGHTS

Model	Kaiki
Material	Machined and hard anodized aluminum with stainless steel & rubber components
Dimensions	W100mm x H330mm
Color	01 Antique Rustic
Coatings	Hard Anodized with 4 Additional coatings including UV Stabilizing Topcoat
Bulb holder	E27
Warranty	5 years
Max Watt	60 W



- Accessories**
- 1. Die-cast Catenary Gasket
 - 2. 3-way Electrical "T" connector
 - 3. Kevlar Rope along with associated accessories tailored to each projects needs

1

Die-cast Catenary Gasket

2

3-way IP 67 electrical cable connector

3

Available in - 6mm, 8mm, 10mm, 12mm. Kevlar Rope comes stitched with accessories ready to clip, hang and tension if necessary. It comes with a polyester type cover with multiple color options. Let us structurally design the system for your project.

Model	Ampoula
Material	Machined and hard anodized aluminum with stainless steel & rubber components
Dimensions	W120mm x H410mm
Color	01 Antique Rustic
Coatings	Hard Anodized with 4 Additional coatings including UV Stabilizing Topcoat
Bulb holder	E27
Warranty	5 years
Max Watt	60 W

- Accessories**
- 1. Die-cast Catenary Gasket
 - 2. Rubber Safety for Glass - reduces risk of human error of not screwing in the glass properly
 - 3. 3-way Electrical "T" connector
 - 4. Kevlar Rope along with associated accessories tailored to each projects needs

1

Die-cast Catenary Gasket

2

Rubber Safety for Glass

3

3-way IP 67 electrical cable connector

4

Available in - 6mm, 8mm, 10mm, 12mm. Kevlar Rope comes stitched with accessories ready to clip, hang and tension if necessary. It comes with a polyester type cover with multiple color options. Let us structurally design the system for your project.



Model	Balao 150mm
Material	Machined and hard anodized aluminum with stainless steel & rubber components
Dimensions	W150mm x H430mm
Color	01 Antique Rustic
Coatings	Hard Anodized with 4 Additional coatings including UV Stabilizing Topcoat
Bulb holder	E27
Warranty	5 years
Max Watt	60 W

- Accessories**
- 1. Die-cast Catenary Gasket
 - 2. Rubber Safety for Glass - reduces risk of human error of not screwing in the glass properly
 - 3. 3-way Electrical "T" connector
 - 4. Kevlar Rope along with associated accessories tailored to each projects needs

1

Die-cast Catenary Gasket

2

Rubber Safety for Glass

3

3-way IP 67 electrical cable connector

4

Available in - 6mm, 8mm, 10mm, 12mm. Kevlar Rope comes stitched with accessories ready to clip, hang and tension if necessary. It comes with a polyester type cover with multiple color options. Let us structurally design the system for your project.



Model	Balao 200mm
Material	Machined and hard anodized aluminum with stainless steel & rubber components
Dimensions	W200mm x H460mm
Color	01 Antique Rustic
Coatings	Hard Anodized with 4 Additional coatings including UV Stabilizing Topcoat
Bulb holder	E27
Warranty	5 years
Max Watt	60 W

- Accessories**
- 1. Die-cast Catenary Gasket
 - 2. Rubber Safety for Glass - reduces risk of human error of not screwing in the glass properly
 - 3. 3-way Electrical "T" connector
 - 4. Kevlar Rope along with associated accessories tailored to each projects needs

1

Die-cast Catenary Gasket

2

Rubber Safety for Glass

3

3-way IP 67 electrical cable connector

4

Available in - 6mm, 8mm, 10mm, 12mm. Kevlar Rope comes stitched with accessories ready to clip, hang and tension if necessary. It comes with a polyester type cover with multiple color options. Let us structurally design the system for your project.



POLE LIGHTS

Model	Ptigo
Material	Machined and hard anodized aluminum with stainless steel & rubber components
Dimensions	W120mm x H200mm
Color	01 Antique Rustic
Coatings	Hard Anodized with 4 Additional coatings including UV Stabilizing Topcoat
Bulb holder	E27
Warranty	5 years
Max Watt	60 W

- Included**
- 1. Electrical Cable Heat Resistant - 6 meters Length (3-core 1.0sq.mm)
 - 2. 2-way Electrical connector

- Customized items**
- Let us know what you require*
- Rod length
 - Pole Mount diameter
 - Hemp Rope covered Rod or Bare Rod
 - Color



2-way IP 67 electrical cable connector

Model	Akro
Material	Machined and hard anodized aluminum with stainless steel & rubber components
Dimensions	W300mm x H85mm
Color	01 Antique Rustic
Coatings	Hard Anodized with 4 Additional coatings including UV Stabilizing Topcoat
Bulb holder	E27
Warranty	5 years
Max Watt	60 W

- Included**
- 1. Electrical Cable Heat Resistant - 6 meters Length (3-core 1.0sq.mm)
 - 2. 2-way Electrical connector

- Customized items**
- Let us know what you require*
- Rod length
 - Pole Mount diameter
 - Hemp Rope covered Rod or Bare Rod
 - Color



2-way IP 67 electrical cable connector

Model	Akro
Material	Machined and hard anodized aluminum with stainless steel & rubber components
Dimensions	W300mm x H85mm
Color	01 Antique Rustic
Coatings	Hard Anodized with 4 Additional coatings including UV Stabilizing Topcoat
Bulb holder	E27
Warranty	5 years
Max Watt	60 W

- Included**
- 1. Electrical Cable Heat Resistant - 6 meters Length (3-core 1.0sq.mm)
 - 2. 2-way Electrical connector

- Customized items**
- Let us know what you require*
- Rod length
 - Pole Mount diameter
 - Hemp Rope covered Rod or Bare Rod
 - Color



2-way IP 67 electrical cable connector



SPECIALTY LIGHTS

Model	Tero
Material	Machined and hard anodized aluminum with stainless steel, rubber & hemp rope components
Dimensions	W200mm x H85mm
Color	01 Antique Rustic
Coatings	Hard Anodized with 4 Additional coatings including UV Stabilizing Topcoat
Bulb holder	G9
Warranty	5 years
Max Watt	60 W

- Included**
- 1. Electrical Cable Heat Resistant - 3 meters Length (3-core 1.0sq.mm)
 - 2. 2 meter Length “wings”
 - 3. Ten & Ten 5-1 Custom Electrical Cable to which avoids need for junction box
 - 4. 2-way Electrical connector

Customized Items
Let us know what you require

- Recommended installation in sets of 5 light Fittings per tree
- Color



5-1 electrical cable



2-way IP 67 electrical cable connector



Model	Flexi-Light
Material	Machined and hard anodized aluminum with stainless steel, rubber & hemp rope components
Dimensions	W200mm x H95mm
Color	01 Antique Rustic
Coatings	Hard Anodized with 4 Additional coatings including UV Stabilizing Topcoat
Bulb holder	G9
Warranty	5 years
Max Watt	60 W

- Included**
- 1. Electrical Cable Heat Resistant - 3 meters Length (3-core 1.0sq.mm)
 - 2. 2 meter Length “wings”
 - 3. Ten & Ten 5-1 Custom Electrical Cable to which avoids need for junction box
 - 4. 2-way Electrical connector
 - 5. Hanging Clamp

Customized Items
Let us know what you require

- Recommended installation in sets of 5 light Fittings per tree
- Color



5-1 electrical cable



2-way IP 67 electrical cable connector



SURFACE MOUNTED LIGHTS

Model	A (Astoria), B (Balao), C (Akro), D (Trata),E-F (Ampoula), G (Ptigo), H (Metron), I-J (Trava), K (Athina), L (Kaiki)
Material	Machined and hard anodized aluminum with stainless steel & rubber components
Dimensions	Varies - refer to detailed specs
Color	01 Antique Rustic
Coatings	Hard Anodized with 4 Additional coatings including UV Stabilizing Topcoat
Bulb holder	E27
Warranty	5 years
Max Watt	60 W

Included

- 1. Electrical Cable Heat Resistant - (3 core 1.0sq.mm)
- 2. 2-way Electrical connector

Customized Items

Let us know what you require

- Mounting: Choose Between Ceiling, Wall, Pergola Mounting (insert vecrots of each)
- Rod v.s. No Rod
- Hemp rope covered Rod v.s. bare Rod
- Color

A. Astoria



B. Balao



C. Akro



D. Trata



E. Ampoula



G. Ptigo



I. Trava



K. Athina



F. Ampoula



H. Metron



J. Trava



L. Kaiki



EYE CANDY











